

Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

Inf Wor H. Breven of the State God Survey Calif.
Lette Sentamiro Dec 3-1865 The highest elevations tras mach in the Lienas of worth Celyn is all 11000 feel.

higher Them flexible (albitantis) Mier Alianson! nel Many contorte ( murrayani) Lungen, orridately Pirea accentilés or ou Mont Sharty, por potent les These 6 spearer grow at altitude other is preggs hearly every aght of the grean! in clear summer wights off as low as 10-15 F, growing to the diameter of 4 feel or more !!



Doctor Englesnan. and see my lette nephew He has teen unice for Leveral days and I have quelo exhacested my meserene. knowledge without dung hern sen gend. Den respectfull A. E. Jane Fride aflernern. MISSOURI BOTANICAL GARDEN GEURGE ENGELMANN PAPERS MISSOURI 6

copyright reserved cm

BOTANICAL GARDEN Dr Drewer's notes on Caleformia Confine letter to & Parry - San Francisco Manh 14 1004

Much Confusion coming the Cepressus and Jeniferny species. The grandest Cepressus is Comervarya, the monterny - Cedar, with the helid of the Cedar of Lebanon. There is a Juniperus in the higher hierry 4-6 feel in d'ameter, but topers rapidly, - a tree 4 feel d'enates is office not over 40 feel high - wood ned and fagnal like that of I. Organiana.

Liboredus decurrens with Coast Mages, but rare there. Abandant from the northern limits of the The State to Lat 35 pombly farther a beautiful tree of 4-6 feet air Samuter Cones always peadant (not erect)

Sequeria sampervirens is the noblest tree of the State and sometimes as large as the 1 Big Frees". Probably the largest tree of the State and of the world belongs to the officies If grows only along the coast, quite hear the sea, and extends perhaps over 6 degr. of Lat.


Sequoia gizantea. in limited distribution; in high villeys of the Sierras 4500 boor feel high, attends ale 200 Miles north & South. Not so rare as stated; I have heard of a dryn localities and have no do of f many more as its greatest develope ment is in a region almost unknown.

Taxus one species, Astinot? habit very Sfory.

Torreya one species both with Sierras and.

Coast range, generally along streams.

Any Thoy's?



MISSOURI BOTANICAL GARDEN EEORGE ENGELMANN PAPERS



Curopean Abielineee

H. Christ, Basiler Verhandhungen III.

p.541-557 extr. : Zeitschr. J. J. ges. Maturvir. 1863 p. 124 I Alies Link a brother exsettir 1. Vinne Abies DA. Lithuance to Spain var pestinita &C. Apolling de Régime Amilie Welden. panacherica Held. aphalonin doud. b. Gratei indhesis 2. V. Sibirira Furag pos Pen to Kembschelke 3. P. Ohrsapo Dvin, Spein Il Pirea Link 4 Pirca Sall rommon on. orientatis Lin (P. obovata Lede) II Larix Lak 6 P. Lanix L. Alps & Cantett. 7. O. Ledebouni Endl IV Cedrus Link. ( Cedus & ( the 3 forms of James, Aller & Himeloger ) V. Cembra Spach 8 Cemebra Lie O. pumila Regel, which extende & America, may be same VI. Strobus Spach a strobile; eredej 9 Peuce Grisel 6. stobilis pedrenvalates pendlig Roll il VII Tacda Lade. (v.P. Canaricus is Son.) VIII. Pinaëter last. 10 P. Pinester Sol. ( "mariliner Lan ) South east vend 11 9. Weldreichis Christ nisp. Greene 12 P. montana Mill [ Pamilio, Mughes, votundata, oblique, oliginosa uninata) 14 D'. Carriero L'abender leaved et courselrand [austring!]

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

15 Pinus Halepensis Mill So-theast.


16. P. Britia Ten.

TX Pinua End.

17. P. Binea La

O. Maderensis Jen & P. Salmating Us; belong most probably here.

MISSIURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



Link i Linnea XV. 481 seg. (1841) i Abietinae Abri regis Bota- Beroli. melte Not. From has said that the authors have instace, while other rall the buts to which the author is admite Morn also takes that other rule a germen, to bethe ovule itself with rinked mirropyle \_ winks farther to the former opins saying that the order is summed by a sather While shlegument Bou cohich 2 filiform stig mets protonde The stagement grown auf (exerciset) into the wing. p. 482. Tillus Amenta messenta ad basis ramoram juniorum. Gnetin Strobili tanden obsoleti , s gam [ wint ] apire venura tehagins s, 483 Alia intersecca conneta (in Pine sylvestri Loud. Ab. Git IV. 2150 Griste auther. Tursum producte ingjør, Deorsein producte ininor. Amento femina prope apirem ramon junion per terminalia 1. folia gemina 2. folig bing temagure 3 folia terna 4 pli terna el queterna 9. combrosoles Juvo (a Bollaviana Pheloloby Schlackel) 20 XII (Cotyte 6) 5-12 5 folså quina P. sylvethi Cetyl 5 (6-7) Pinaritinis Lamb , 8 P. Harriogii Cotyl 6 P. Teorote 5 Seculostroto ( Ockrelsa "12 (five teste) ", petites P. Piken: folia primordili non solin i placets novella set quoque i rumis novelli, apparent of fewrith \_ glaciera termin p. 516 Pirea Smil maso ad basin ramon juniorni. I brateris strober. tændem obsoletis, squami punituelo, aprire deplanato 1. folia subtetra gona filis duolas pegina superiore connectis[!] — at folia superiore letenles inorisma 517 Pirea excelsa [Luk] Pines excessa Lam H. pacer (cotyl 2-3 Colly) 2. des rister plis planier lis ( a. Cand a. Sough)



p. 525 Abies Amento muscle agillaris in minis accellis. Statis

brothers of square, Amento mascale in agriches genemarum. Mathe

square, planis et constais persistentitus,

537. Cedrus Amento muscale inapicioles ramorum. Strobilez.

brothers tandem obliteration, 29 coarceir pensistentito deprive

vermina d'oplanato semen alution, ala testam totam districte

Cedrus Libanis Lond and.

Cetyl 6 1!)

MISSOURI BOTANICAL GARDEN
CHARGE ENGELMANN PAPERS




Jenustici in Brifane Regel, die Parthenogenesse Petensberg 1857 Library of And. In. p. 31 Som de Consperen Singt jur Juit der Expréssion the Collengepland with it dans very , and sift de ofen forment Mufoffen ain Jefer lacen, Liggiffen veriffe der Gubrynfrik, auf 30 mg sti den roge gnødenfiles orfillænd, jun Hair neil. Le flgrede frijsk bilde fij si de kee Gi wied jigsmedden Gilge Spelle di Corpusoula End fillan fij mit win Logan Jellgansber ( Aacie blitty ) Men and lagicalish boller flage miles Ji ruff en , Singh fagun vir de Guebroftek fallst ain, and lagt by on the Corpueraleum om, rlydi Lafriffing fling fram aft en sy geft Tartrikke frif seen avings de growth ont chun and gaganger Than Fred It Corper Coulent ligeacher Accin blat for ju de significalité Zorbainen zveiter Ordendig, di del for Beton zelle he Bushyo interestelen , ili airbelling er færbyr frekt gie Toutain und di Jamebolding de Corpueroul, ffi Lelfe Jiar gang en abfrægig zome friflente obn Sufiiffing zor fif profon, I legt di La fruitting geft with in folge It disastan

MISSOURI BOTANICAL copyright reserved cm GARDEN ASS UNI EGGANICAL GARDEN




Richard Confermo 1826 p. 63. Abies Cedres, Pollen e pattibulis ovoidreis deut incequalités p. 64 - Cotyles g\_11 - ventlæ belsamo turgidae i pentorpio (asa) by Lavip, polling pertile globosa To abus Excelsa polle perterlig globosis 11 ootglednes mangene interno et subtetissine Duargues dessi dentification 75 - bulgamen polliparties globosis pl. 11. a Common of I have deglocation is figured will few male aments scrittens among The Claves; see py 56 note



GEORGE ENGELMANN PAPERS

Will Dr Engelmann please call to vacinnate Ur pro Clowellis youngest child at his early anstrum a

Moonday kovember 16/63



Tours of Trorcerings Linner Loviety, London VIII, m 27.

Octob 1863 pag 141.

Adjaces Sotary of the Boundary ofthe 49 Parallel, out of Makey.

Me tais. p. 133 His Dougland. 30 fect orrent. 150 fect I more high, min lower A. Mayren' 25-30 fect 1 200 - high \_ \_\_\_\_\_ A. Mesteusiana a sommentre 150-200 feethof 1. contorte not maromen here They's grante heth (Cedar) 27 fact cirry, 280 hg/ .
They's grante heth (Cedar) 27 fact cirry, 280 hg/ .

p. 141 Orner monticola Dock Vaurones Isle I lower Freger Aces, common between Colorthe oth Rocky Mily. O'contote by some i therowers & mailed ent of the Carel months frank bulk of the forch 4,500 m bood feel all to 12 food Sand bon to fact high. - Out Hocky Mets 7000 feet 11. flexilis Tom firelobsen & near the eastern second of the Carrade Maly 7000, the Light tree of the fourt bell shoulding - also make gellow a Rocky Mil, 8,000 feel high - Mo ripe Cay I ponderosa dogs. only east of the Carrade 3600' to the base Hooky thes, rounding with len'x orribala, on flat le Hoirs species is the same lookether, but a Revine, not might of the and one of the most common trees week of the Canal A Mengin common for the Partie to the Rocky Mass on the Corrado 5500 on the Jallon & Rocky Mil Bood Adouglaci's with the lack, some above 5500' a. amabilis not une ommon it Coral Mil up to book al Rocky is Gallon Mik To 7000' 9. grade kel. a. nobilir u Long Lyelli Part, n.sp. Corade Mel. 6500- 7000 feet toward Huppfall sitt Pepilis – bood-room om the gella docky Meter, ben with Pepilis & Samely L. orribulation our with Pepilis on Lee above

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

MISSOURI

BOTANICAL


GARDEN



Pinus (Tsuga) Tsuga (Tsuga Sieboldii Com) last Conf 93
ex Harfajon: Filamenter filiformia apire Statet, in oquamana
Filatetin — locale duo longitud nelite bivalvia [?] Abis Pensepo - Dorson Deson, extend. Coip - only good deson.

of Seed of Abis I have seen - mention the ordors of bullan 5 Landy Dahunder imboth ex Lot Cif 129. - deson. seeds fritty correctly i ale metantite deficiling a semin dolone L'aptolepsi Just. of. C. Cop. 131 - sla ventre sens.





0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN

Lindry rectus - Cedris curvatus



## POTHECARY ENGINE Olive Sts. St. Louis, Mo.

ALIZA LEITCH.

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS

